

*A L SW*

**PROVA ORALE - DOMANDE INERENTI LA DISCIPLINA**

- 1- TRATTAMENTO IPOTERMICO NEL NEONATO CON ENCEFALOPATIA IPOSSICO-ISCHEMICA
  - 2- VENTILAZIONE NON INVASIVA
  - 3- VENTILAZIONE CONVENZIONALE
  - 4- VENTILAZIONE IN ALTA FREQUENZA
  - 5- MALATTIA DELLE MEMBRANE JALINE POLMONARI
  - 6- ITTERO NEONATALE
  - 7- ANEMIA DEL NEONATO
  - 8- SEPSI DEL NEONATO
  - 9- NEC
  - 10- ATRESIA ESOFAGEA
  - 11- BRONCODISPLASIA POLMONARE
  - 12- BRONCHIOLITE
  - 13- REFLUSSO GASTROESOFAGEO
- dh.D*

## **PROVA ORALE - DOMANDE INERENTI L'INFORMATICA**

A W W  
dhi?

- 1- Com'è composto un computer
- 2- Cosa si intende per SPAM
- 3- Le principali applicazioni informatiche più diffuse: word, excel, power point, access
- 4- Che cos'è internet
- 5- Cosa significa browser
- 6- Che cos'è la posta elettronica
- 7- Definizione e utilizzo delle periferiche esterne (mouse, tastiera, monitor, stampante, scanner)
- 8- Qual è la definizione di Tablet?
- 9- Qual è la definizione di Smartphone
- 10- Qual è la definizione di Pendrive
- 11- Che cos'è "PowerPoint"
- 12- Che cos'è un webinar
- 13- Cos'è la WEBMAIL

*A 2023*

## PROVA ORALE - DOMANDE INERENTI L'INGLESE

- 1- Mechanical ventilation is potentially life saving in neonatal patients with respiratory failure.
- 2- The pathophysiology of lung damage due to mechanical ventilation is multi-factorial.
- 3- Historically, positive pressure ventilation is the most commonly used method of ventilation in neonates.
- 4- The lung is expanded during inspiration by forces generated primarily by the diaphragm but also by the intercostal muscles.
- 5- Neonatal sepsis refers to an infection involving bloodstream in newborn infants less than 28 days old.
- 6- Maternal factors that increase the risk of neonatal sepsis include chorioamnionitis.
- 7- Comprised innate immune system, caused primarily by the immature epithelial barrier
- 8- The epidemiology of neonatal sepsis has been changing with time.
- 9- Signs and symptoms of neonatal sepsis can range from nonspecific or vague symptoms to hemodynamic collapse.
- 10- Neonates with bacteremia can be asymptomatic and have a normal physical examination.
- 11- Neonatal sepsis is divided into two groups based on the time of presentation after birth: early-onset sepsis (EOS) and late-onset sepsis (LOS).
- 12- The treatment regimen for neonatal sepsis varies based on various risk factors and conditions.
- 13- Mortality rates are inversely proportional to gestational age, such that preterm or younger neonates have higher mortality rates than do term neonates .